



SUPER (PE Pipe)

Electrical/ Communication Conduit



AUTHENTIC PRODUCTION COMPANY LIMITED

- Head Office** - F4, Kabaraye Villa, Kabaraye Pagoda Road, Mayangone Tsp., Yangon, Myanmar.
Tel : 95-1-652650, 652674, Fax : 95-1-651756
- Factory** - No. 21(C), Bo Chan Street, Pyinmapin Quarter, Mingalardon Tsp., Yangon, Myanmar.
Tel : 95-1-637695, Fax : 95-1-637695
- Nay Pyi Taw** - No.1202, YarzaHtarNi Road, Paung Laung Extension Ward, Nay Pyi Taw.
Tel : 067-25846, 25847, Fax : 067-23792
- Mandalay** - No. H-12, Swel Taw Tike Tan, Amayapura Tsp., Mandalay. Tel : 95-9-973447222, 95-9-440444508

MADE IN MYANMAR



POLYETHYLENE PIPE

TECHNICAL DATA

Standard : DIN 8074/8075, ISO 4427/4437

Size Range : 16 mm OD to 400 mm OD

Lengths : 6 m to 12 m (Pipe)

50 m to 100 m (Coil)

PRODUCT APPLICATION


COLOUR IDENTIFICATION



White

APPLICATION

Electrical/ Communication Conduit



PIPE DIMENSIONS

Nom OD	SDR 26		SDR 21		SDR 17		SDR 13.6		SDR 11	
	Min Wall	Mean ID	Min Wall	Mean ID	Min Wall	Mean ID	Min Wall	Mean ID	Min Wall	Mean ID
16									1.6	12.7
20							1.6	16.7	1.9	16.1
25					1.6	21.7	1.9	21.1	2.3	20.2
32			1.6	28.7	1.9	28.1	2.4	27.0	2.9	26.0
40			1.9	36.1	2.4	35.0	3.0	33.8	3.7	32.3
50			2.4	45.1	3.0	43.9	3.7	42.4	4.6	40.4
63	2.4	58.1	3.0	56.9	3.8	55.2	4.7	53.3	5.8	51.0
75	2.9	69.2	3.6	67.7	4.5	65.8	5.5	63.7	6.8	61.0
90	3.5	83.0	4.3	81.3	5.4	79.0	6.6	76.5	8.2	73.1
110	4.3	101.3	5.3	99.2	6.6	96.5	8.1	93.3	10.0	89.4
125	4.8	115.4	6.0	112.9	7.4	109.9	9.2	106.1	11.4	101.5
140	5.4	129.2	6.7	126.5	8.3	123.1	10.3	118.9	12.7	113.9
160	6.2	147.6	7.7	144.5	9.5	140.7	11.8	135.9	14.6	130.0
180	6.9	166.3	8.6	162.7	10.7	158.3	13.3	152.8	16.4	146.3
200	7.7	184.6	9.6	180.6	11.9	175.8	14.7	169.9	18.2	162.5
225	8.6	207.9	10.8	203.3	13.4	197.8	16.6	191.1	20.5	182.9
250	9.6	230.9	11.9	226.1	14.8	220.0	18.4	212.4	22.7	203.4
280	10.7	258.7	13.4	253.0	16.6	246.3	20.6	237.9	25.4	227.8
315	12.1	290.9	15.0	284.9	18.7	277.1	23.2	267.6	28.6	256.3
355	13.6	327.9	16.9	321.0	21.1	311.1	26.1	301.6	32.2	288.8
400	15.3	369.5	19.1	361.5	23.7	351.9	29.4	339.9	36.3	325.4